

# HEAD-WORN SHADING VISOR

## FIELD OF THE INVENTION

The present invention relates to a head-worn shading  
5 visor that is foldable in a small size to facilitate carrying and  
storing.

## BACKGROUND OF THE INVENTION

Hat is a commonly used article for shading purpose. It  
generally is formed in different styles for use in different  
10 occasions. When not in use, it is difficult to store. This is a  
problem frequently occurred to the conventional hats.

In order to form the desired styles and shapes, the  
conventional hat usually is made from hard material. Once  
made, the form is fixed and not alterable. It is quite bulky and  
15 difficult to fold and store. It is inconvenient and troublesome  
to carry. To overcome the storing and carrying problems,  
many proposals have been disclosed in the prior art. U.S.  
patent No. 5,450,629 and 1,213,447 are two of the examples.  
No. 1,213,447 discloses a visor that has longitudinal fold lines  
20 to divide the visor into eight equal portions (referring to FIG.  
1). It may be folded by bending inwards and outwards  
alternately to form a W-shape to reduce the size (referring to  
FIG. 2). However, such a folding structure creates some  
problems in use, carrying and storing, notably:

25 1. Folding the visor in W-shape expands the size

after folding is completed. It cannot be stacked and positioned as desired.

2. The W-shaped visor has fold lines on two sides. After extended, it is difficult to form an arched shape and lacks aesthetic appealing.

3. The W-shaped visor after folding has opening ends and cannot be encased for storing.

U.S. patent No. 5,450,629 discloses a convertible hat with a foldable visor. It has a visor divided by longitudinal fold lines into four equal portions, and also is folded in W-shape to shrink the size (referring to FIG. 3). It has an inner edge connecting to a shell to cover user's head. The shell may be used to encase the W-shaped visor. However, it also adopts the W-shape folding approach. Thus the size it can shrink is limited. And the W-shape folding also creates openings that cannot be covered or tied by the shell or strap.

### **SUMMARY OF THE INVENTION**

The invention aims to provide a head-worn shading visor that has a visor blade with the peripheral edge coupling with an annular strap by stitching. The visor blade has a curved inner end extending upwards to form a fabric section to protect the forehead of users, and is extended outwards to form the annular strap. The annular strap is coupled with an adjusting fastener to form an inner loop and an outer loop. The inner loop is abutting the curved inner end for coupling

on user's head. The adjusting fastener may be moved to adjust the size of the inner loop to suit user's head and anchor the visor blade on user's forehead for shading use. The visor has longitudinal and transverse folding grooves to fold the visor blade and the annular strap in a smaller size. Then the outer loop may be used to couple the folded visor so that it can be stored in a pocket to facilitate carrying.

The foregoing, as well as additional objects, features and advantages of the invention will be more readily apparent from the following detailed description, which proceeds with reference to the accompanying drawings.

#### **BRIEF DESCRIPTION OF THE DRAWINGS**

FIG. 1 is a schematic view of U.S. patent No. 1,213,447.

FIG. 2 is a schematic view of U.S. patent No. 1,213,447 in a folding condition.

FIG. 3 is a schematic view of U.S. patent No. 5,450,629.

FIG. 4 is an exploded view of the present invention.

FIG. 5 is a plane view of the present invention.

FIG. 6 is a schematic view of the visor blade of the invention.

FIG. 7 is a perspective view of the invention.

FIG. 8 is a schematic view of the invention in a use condition.

FIG. 9 is a schematic view of the invention in folding condition 1.

FIG. 10 is a schematic view of the invention in folding condition 2.

FIG. 11 is a schematic view of the invention in folding condition 3.

FIG. 12 is a schematic view of the invention in folding condition 4.

5 FIG. 13 is a schematic view of the invention in folding condition 5.

FIG. 14 is a schematic view of the invention in folding condition 6.

FIG. 15 is a schematic view of the invention in folding  
10 condition 7.

FIG. 16 is a schematic view of another embodiment of the invention.

FIG. 17 is an exploded view of yet another embodiment of the invention.

15 FIG. 18 is a top view of the invention according to FIG. 17.

FIG. 19 is a perspective view of the invention according to FIG. 17.

### **DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS**

20 Please referring to FIG. 4, the head-worn shading visor according to the invention includes a visor blade 1 which has the peripheral edge coupling with an annular strap 2 by stitching. The visor blade 1 is formed in a crescent shape, and has three longitudinal fold grooves 10, 11 and 12, and two  
25 transverse grooves 13 and 14. Referring to FIGS. 5 and 6, the

longitudinal folding groove 11 is located on the center line to serve as the Y-axis. The transverse folding grooves 14 and 13 serve respectively as a X-axis and X1-axis. The X-axis and a curved inner end of the visor blade form a cross point 100  
5 from which a vertical coordinate line Y1 is formed, and another longitudinal groove is formed thereon. The longitudinal groove 11 and the transverse groove 14 divide the visor blade 1 into a large blade 16, a medium blade 17 and a small blade 18. The annular strap 2 is stitched to the  
10 peripheral edge of visor blade 1. The curved inner end of the visor blade 1 is extended upwards to couple with a fabric section 22 to protect the forehead of users. The curved inner end further is extended outwards to form another annular strap 2 which is coupled with an adjusting fastener 3 to form an  
15 inner loop 20 and an outer loop 21 (referring to FIG. 7) for anchoring the visor blade 1.

When in use for shading, the visor blade 1 is extended. The inner loop 20 abutting the curved inner end of the visor blade 1 may be worn on the head. The adjusting fastener 3  
20 may be moved and adjusted to pull the inner loop 20 so that the visor blade 1 is braced on the forehead to provide shading effect (referring to FIG. 8).

When not in use and folding the visor blade 1 is desired (referring to FIGS. 9 and 10), first, fold the visor blade 1  
25 about the transverse grooves 13 and 14 at the cross point 100

of the curved inner end to fold the small blade 18 and the strap 2 and the fabric section 22 longitudinally over the medium blade 17; then fold the medium blade 17 transversely over the large blade 16 (referring to FIGS. 11 and 12); finally  
5 fold the last two large blades 16 against each other to form a shrunk and smaller body (referring to FIGS. 13 and 14). Then pull out the outer loop 21 from the adjusting fastener 3 to couple the folded body. The resulting package is small size and may be carried and stored conveniently (referring to FIG.  
10 15).

Referring to FIG. 16, the curved inner end of the visor blade 1 may also be directly formed by stitching the annular strap 2 to form a protection rim. It may be extended to form the annular strap and coupled with the adjusting fastener to  
15 divide the annular strap into an inner loop and an outer loop to achieve shading and positioning functions.

Refer to FIGS. 17, 18 and 19 for yet another embodiment of the invention. The adjusting fastener 3a has a trough 30a to allow the annular strap 2 to thread there through.

20